



ENVIRONMENTAL & REGULATORY SERVICES
PECFA
P. O. Box 8044
Madison, Wisconsin 53708-8044
TDD #: (608) 264-8777
www.commerce.state.wi.us

Scott McCallum, Governor
Philip Edw. Albert, Secretary

Wisconsin Department of Commerce Bureau of PECFA

Bid Document

SECTION 1 - Scope of Work:

The Bureau of PECFA is seeking competitive bids to perform additional site investigation services on a petroleum release from a regulated petroleum product storage tank system. The site upon which bids are being solicited is:

Bid Round Number: 18
Comm Number: 54660-6801-70-A
BRRTS Number: 03-42-001035
Site Name: Lyle's Spur Service
Site Address: 14670 State Hwy 131, Tomah, WI

Project Manager: David Swimm, Department of Commerce
Project Manager address: PO Box 8044, Madison, WI 53708-8044
Project Manager phone: 608-264-8766
Project Manager e-mail address dswimm@commerce.state.wi.us

Bid Announcement Date	2/4/02
Questions or requests for information must be submitted in writing and received by:	2/18/02 4:00 PM
Responses to the questions will be posted (and if requested, sent in writing) by:	3/8/02
Bid End Date and Time:	3/22/02 by Noon

The site investigation report, upon which Commerce determined the investigation was not complete, is available for inspection at:

Department of Commerce 201 W. Washington Ave Madison, WI

Please contact the project manager listed above for an appointment.

Copies of the site investigation and UST assessment reports can be purchased for the cost of reproduction and handling at the following address:

Bob's Copy Shop 37 University Square Madison 53715

Phone: 608-257-4536

Fax: 608-257-6555

SECTION 2 - Site Specific Bid Specification Requirements:

A) Project Manager Comments

1) General Comments:

A site investigation was performed by Agenda International, Inc. (Agenda) and the results were provided in the January 16, 2001 Site Investigation and Closure Request report. Based on these results, Commerce denied closure and requested additional investigation activities in correspondence dated March 28, 2001. During August 1993 the former underground storage tank (UST) system was removed and the results of soil sampling were reported by Davy Engineering in the Underground Storage Tank Site Assessment report. Releases from both the diesel and gasoline systems, which appear to be contiguous, were confirmed. Groundwater has been found at approximately 30 feet below the ground surface (bgs) within weathered sandstone and the flow direction at the water table appears variable (possible predominant flow toward the northwest).

2) The following Environmental Factor(s) were identified in the Site Investigation Report for this site:

- ☐ Documented expansion of the plume margin.
- ☐ Verified contaminant concentrations in a private or public potable well that exceeds the preventive action limit established under ch. 160, Stats..
- ☐ Contamination within bedrock or within 1 meter of bedrock.
- ☐ Petroleum product that is not in the dissolved phase is present with a thickness of .01 feet or more, and verified by more than one sampling event.
- ☐ Documented contamination discharges to a surface water or wetland.

3) Minimum Remedial Requirements:

Commerce is requesting consultants to submit a bid for costs associated with completing the following scope of additional investigation activities. The bid will not be a cost to closure.

Additional Site Investigation Activities:

1. Confirm the relative elevations for the existing monitoring well network.
2. Collect two additional rounds of water level data from the existing well network on a monthly basis.
3. Update the groundwater elevation tables with the collected data, and provide a sufficient number of groundwater flow maps using both the historical water level measurements and the collected data to illustrate the range of variability of groundwater flow direction.
4. Provide the mapped location of any off-property potable wells within 1,200 feet of the site. The map should be based on a field reconnaissance.
5. Install an upgradient water table monitoring well (likely at a location southeast of the source area), install a water table monitoring well northeast of the source

area, and based on the predominant groundwater flow direction, install a piezometer nested with a downgradient monitoring well (preferably MW4, if groundwater is shown to flow predominately toward the northwest). An upgradient monitoring well southeast of the source would be between the source and the on-property potable well.

6. Collect shallow soil samples (0-4 feet bgs) to assess direct contact risk beneath the former fuel dispensers (including the former diesel dispenser). Beneath the former diesel dispenser analyze samples for PAHs and beneath the former gasoline dispensers analyze samples for PVOCs. If soil contamination is encountered, define the vertical extent (i.e., borings may be greater than 4 feet bgs).
7. Collect a round of groundwater samples from all wells in the monitoring well network, including those installed as part of the additional investigation. Analyze samples from existing wells for PVOCs plus 1,2-EDB and analyze samples from the newly installed wells for VOCs. Also analyze samples from MW-2, MW-3, and MW-4 for PAHs and lead.
8. Collect a second round of groundwater samples and analyze for PVOCs and natural attenuation indicator parameters. Also, collect an additional groundwater sample from the on-property potable well for VOC analysis using Method 524.2.
9. Provide water level data for each additional groundwater sampling events.
10. Provide disposal documentation for the already produced investigative waste stored on site (reportedly 16 drums of soil cuttings and 3 empty drums) and any waste produced as a result of the additional investigation activities. Some of the reported soil drums may contain contaminated purge water. Bidders shall account for possible purge water disposal in their bid.
11. Provide the supplemental site investigation information in the form of a letter report. The letter report shall provide a review of the additional investigation results and shall include but not necessarily be limited to the following: an updated site map that includes the subject property boundary, required NR 716 geographic and legal description information, a map showing the location of all nearby off-property potable wells, updated water level and groundwater sample results tables, updated soil sample results tables, groundwater flow maps, a groundwater contaminant plume map, and appropriate forms and documentation.

In addition to the activities listed above, bidders should be prepared to compile and process a PECFA investigation claim after Commerce has determined the investigation is complete. Consequently, bidders shall include these costs in the bid response.

Initial activities (confirming relative well elevation data and collecting water levels) shall commence no later than 30 days following notification of the intent of the claimant (i.e., to use the lowest identified bidder or another service provider).

SECTION 3 - Conditions of Bid:

The successful bidder will be the entity that complies with all provisions of the bid specification. In preparing the bid, the bidder must assume compliance with all applicable codes, including but not limited to Comm 46, Comm 47, and NR 700.

The successful bidder will be determined based upon conformance to and competitiveness under the bid protocol. The first determination will be whether the bidder has complied with all provisions of the bid. These bids will be considered responsive. From the responsive bids, the lowest total cost bid with an approvable approach will be determined.

The successful bid will be available to be viewed at the location identified in Section 1. If two or more bidders tie in the cost comparison, the bid with the lowest consulting cost will be used as the tiebreaker. All bid documents must be signed and sealed by a Professional Engineer, Professional Geologist, Hydrologist or Soil Scientist licensed by the State of Wisconsin Department of Regulation and Licensing.

The Department reserves the right to reject any and all bids that meet any of the following conditions:

- The Department believes the additional investigation activities proposed are not appropriate to the specific geologic setting or contamination.
- From the standpoint of program operations or regulatory responsibility, the Department determines it is in the best interest of the program to not accept any or all bids.

Any proposed technology or methods used in the additional investigation must be allowed for use in the State of Wisconsin and approvable by the Department with jurisdiction (Natural Resources or Commerce).

The name of the successful bidder, bid amount, proposed outcome and supporting documentation will be provided to the site claimant along with instructions to inform the PECFA program in writing of their intent to either:

- Use the lowest identified bidder or
- Use another service provider.

In either case, PECFA reimbursement for the scope of additional investigation activities is capped at the dollar amount of the successful bid.

A successful bid does not mean or guarantee that all costs in a resultant claim are eligible, reasonable, necessary or reimbursable under the PECFA program.

If a bidder fails to comply with a bid provision the bid response will be determined to be non-responsive. If the bid response is responsive, but not the lowest cost service provider with an appropriate approach, it will be determined to be “non-successful.” Non-responsive and non-successful bidders will not be individually informed of their failure to achieve compliance with the bid specifications or to be the lowest bidder.

The successful bidder may be required to provide input to, and attend a meeting with the PECFA program and the claimant to explain the bid.

Appeals, by bidders, of decisions regarding complying bids or costs are not allowed, as they do not constitute claimant reimbursement decisions under the PECFA program.

In compliance with this invitation to bid and subject to all conditions thereof, the signatory agrees to the following:

- If the signatory's bid is determined to be successful, the signatory must, within 15 days of the Department's notification, contact the claimant and confirm that they will provide the additional investigation services at the cost described within the Bid Response.
- That for a period of 90 days, starting with the Department's notification to the claimant, the signatory will hold firm their commitment to provide the additional investigation services and prices set forth in the Bid Response.

Failure to abide with the conditions stated above may result in exclusion from future PECFA Public Bidding events.

Questions, answers and interpretations will be considered an amendment of this solicitation. All answers and interpretations shall be in writing from the Program Manager identified in Section 1 of this solicitation. Neither the program nor the Department shall be legally bound by any amendments or interpretations that are not in writing. Bidders are not to contact other personnel located within the Department of Commerce/Bureau of PECFA concerning the site or the bid solicitation between the Bid Announcement Date and Bid Ending Date. After the date by which questions must be submitted by, identified in Section 1, no further questions will be addressed.

A written response will be provided at: <http://www.commerce.state.wi.us/ER/ER-PECFA-SiteBidding.html> (and mailed to all requesters of the bid package who are not able to access the web site, and who therefore request written correspondence from the program contact).

SECTION 4 - Closure Specifications:

There are no closure specifications for this bid.

SECTION 5 - Instructions to Bidders:

By submission of a bid, bidder agrees that during the period following issuance of this solicitation and prior to notification of successful bidder, bidders shall not discuss the bid or bid process except with the program contact designated in this solicitation. Bidders shall not discuss or attempt to negotiate with the claimant, other potential bidders or program staff any aspects of the bid without prior approval of the Project Manager specified. Infractions will result in rejection of the violator's bid and may also result in disqualification of the individual to provide bids and a formal complaint being lodged with the Department of Regulation and Licensing.

The bid submitted shall address all the site specific bid specification requirements identified in Section 2.

If access to the site is necessary for the preparation of a bid, access shall be arranged through the Project Manager. If the Project Manager is not able to arrange site access, this fact will not delay the bid process or negate the comparison and potential selection from among the bids that are submitted. All costs associated with a site visit or preparation of a bid will be the responsibility of the bidder.

The Bid Process must conform to the following:

1. The Bid Response shall address all the site specific bid specification requirements identified in Section 2 and shall indicate concurrence with the workscope of additional site investigation activities indicated in Section 2, and provide a brief timetable to complete the additional investigation activities.
2. The total cost (in dollars) to accomplish the stated additional investigation activities. The costs specified in #4 shall separately identify consulting (non-commodity) costs.
3. The submittal must include an original and two (2) copies of the Bid Response documents signed and sealed by a Professional Engineer, Professional Geologist, Hydrologist or Soil Scientist licensed by the State of Wisconsin. Include the appropriate registration number of the professional license.
4. Bids can not be "faxed" directly to the program. Documents received by fax will not be accepted or considered.
5. Bids, amendments thereto or withdrawal requests must be received by the time advertised for bid opening. It is the bidder's sole responsibility to insure that these documents are received by the contact at the time indicated in this solicitation document.
6. All specifications or descriptive papers provided with the bid submission must include the bidder's telephone number and Commerce number thereon. Identify the name of the consulting firm on the 1st Page of the Bid Response.
7. The Commerce Number must be on the outside of the envelope in which the bid is submitted. The Department assumes no responsibility for unmarked or improperly marked envelopes. All envelopes received showing a bid number will be placed directly under locked security until the date and time of opening. Include only one Bid Response (an original and two (2) copies) per envelope.
8. Correction of errors on the bid form: All prices and notations shall be printed in ink, typewritten or computer printed. Errors shall be crossed out, corrections entered and initialed by the person signing the bid. Erasures or use of correction fluid will be cause for rejection. No bid shall be altered or amended after the time specified for the bid end date.
9. Bidders are not to contact other personnel located within the Department of Commerce/Bureau of PECFA concerning the site or the bid solicitation between the Bid Announcement Date and Bid Ending Date.
10. Any proposed technology or methods used in the additional investigation must be allowed for use in the State of Wisconsin and approvable by the Department with jurisdiction (Natural Resources or Commerce).
11. From the standpoint of program operations or regulatory responsibility, the Department determines it is in the best interest of the program to not accept any or all bids.
12. If bidders consider the bid response to be proprietary information and exempt from disclosure, each part of the Bid Response must clearly marked *CONFIDENTIAL*. If any part is designated as confidential, there must be attached to that part an explanation of how the information is proprietary. The

Department reserves the right to determine whether this information should be exempt from disclosure and no legal action may be brought against the State, Department or its agents for its determination in this regard.

13. The Bid Response must be appropriate to the site geologic setting.
14. Ambiguous bids, which are uncertain as to cost, time or compliance with this solicitation, will be rejected.
15. The Department reserves the right to reject any and all bids, and/or to cancel this solicitation at any time.
16. Each bidder shall fully acquaint itself with conditions relating to the scope and restrictions attending the execution of the work under the conditions of this solicitation. The failure or omission of a bidder to acquaint themselves with existing documented conditions shall in no way relieve any obligation with respect to this bid.
17. All amendments to and interpretations of this solicitation shall be in writing from the Project Manager. Neither the Department nor the program shall be legally bound by any amendment or interpretation that is not in writing.
18. This solicitation is intended to promote competition. If the language, specifications, terms and conditions, or any combination thereof restricts or limits the requirements in this solicitation to a single source, it shall be the responsibility of the interested bidders to notify the program in writing so as to be received five days prior to the opening date. The solicitation may or may not be changed but a review of such notification will be made prior to award.

BID RESPONSE
(1st Page)

Department of Commerce PECFA Program

SITE NAME: Lyle's Spur Service
COMMERCE NUMBER: 54660-6801-70
BRRTS NUMBER: 03-42-001035

Submit Bid To Cathy Voges
Department of Commerce PECFA Program
201 W Washington Ave, Madison WI 53703-2790 or
P.O. Box 8044, Madison WI 53708-8044

Bidder Company: _____
Bidder Address: _____

Telephone () - _____
Number:
Fax Number: () - _____
e-mail Address: _____

Bidder: (check one that applies):

_____ Professional Engineer	_____ License #
_____ Professional Geologist	_____ License #
_____ Hydrologist	_____ License #
_____ Soil Scientist	_____ License #

Seal

Signature: _____

I certify that I have the authority to commit my organization or firm to the performance of the bid I have submitted.

Print Name: _____

Title: _____

Total Bid Cost \$ _____

Total Consulting Cost (subpart of Total Bid) \$ _____

Personal information you provide may be used for secondary purposes [Privacy Law, s. 15.04(1)(m)].

BID RESPONSE

(2nd Page)

Department of Commerce PECFA Program

SITE NAME:	Lyle's Spur Station
COMMERCE NUMBER:	54660-6801-70
BRRTS NUMBER:	03-42-001035

Consulting Firm phone number () ____-____

This response should provide a brief statement indicating concurrence with the workscope of additional site investigation activities identified in Section 2., and a brief timetable (outline form) to complete the additional activities. Attach additional pages if necessary. *The Commerce Number and Consulting Firm telephone number must be included on all additional pages.*